

January 21, 2024

Static/ELF EMF Studies that reported effects at low flux densities (≤ 0.01 mT (10 μ T))

A = acute exposure; C = chronic/repeated exposure; CE= cellular effect; ELF= extremely low frequency; G= genetic effects; HU= human study; N= neurological effects (including behavior); O =oxidative effects; P =physiological effects; SMF= static magnetic field; VO= in vivo; VT= in vitro

Agliassa et al. (2018)	0.00004 mT	SMF, VO, G, C
Albaqami et al. (2020)	0.0002 mT	SMF (hypomagnetic field), VO, G, A
Back et al. (2019)	<0.005 mT	SMF (hypomagnetic field), VT, G, C
Baraúna et al. (2015)	0.00066 mT	ELF, VO, G, A
Bediz et al. (2006)	0.005 mT	50 Hz, VO, O, C
Bobkova et al.(2018)	0.00008 mT	ELF, VO, N, C
Budziosz et al. (2018)	4.4 pT	50 Hz, VO, O, C
de Kleijn et al. (2016)	0.01 mT	20-500 Hz; VO, G, C
De Roos et al. (2001)	0.0004 mT	ELF, HU, C, paternal exposure increased neuroblastoma in offspring
Ding et al. (2019)	0.0005 mT	SMF (hypomagnetic field), VO, N, A
Dominici et al. (2011)	0.00781 mT	ELF, HU, G, C
Fournier et al. (2012)	0.00004 mT	50 Hz, VO, N, C
Gholamian-Hamadan et al. (2023)	0.001 mT	50 Hz; VO, G, C
Gurhan et al. (2021)	0.0005 mT	SMF, VT, CE, O, C
Hashish et al. (2008)	0.0029 mT	SMF, VO, CE, O, C
Heredia-Rojas_ et al. (2010)	0.008 and 0.00008 mT	60 Hz, VT, G, A
Jadidi et al. (2017)	0.001 mT	50 Hz, VO, P, C
Juutilainen et al. (1987)	Threshold at 0.0012 mT	50 Hz, C, P, VO
Karimi et al. (2019)	0.001 mT	50 Hz, VO, O, C
Kazemi et al. (2018)	0.0007 mT	1 or 12 Hz, VO, G, N, C
Kazemi et al. (2022)	0.0007 mT	12 Hz, VO, G, N, C
Lai and Singh (2004)	0.01 mT	60 Hz, VO, G, A
Li et al. (2012)	0.00015 - 0.00025 mT	ELF, HU, P, C
Li and Héroux (2014)	0.000025-0.05 mT	ELF, VT, CE, A

Liboff et al. (1984)	0.005-0.025 mT	15 Hz-4 kHz, VT, G, A
Lin H et al. (1998)	0.008 mT	60 Hz, VT, G, A
Lupi et al. (2020)	0.0015 mT	50 Hz, VO, O, C
Mahaki et al. (2019)	0.001 mT	50 Hz, VO, G, C
<u>Mahdavinejad</u> et al. (2018)	0.001 mT	50 Hz, VO, G, C
Martino and Castello (2011)	0.0002-0.002 mT	SMF, VT, O, A
<u>Monirul Islam</u> et al. (2020)	0.00003 mT	SMF (hypomagnetic field), VO, G, C
Murugan and Persinger (2014)	0.005 mT	ELF, VO, N, A
Navarro and Navarro-Modesto (2023)	0.0001 mT	ELF-VLF (20 Hz-20 KHz), HU, N, A
Nishimura et al. (2011)	0.001 mT	ELF, HU, P, C
Pilla (2012)	0.0025 mT	2 Hz pulses, VT, O, A
Rao and Handerson (1996)	0.006 mT	60 Hz, VT, G, A
Regoli et al. (2005)	0.000288- 0.00075 mT	50 Hz, VO, O, C
Ross ML et al. (2008)	0.00001 mT	7-10 Hz, HU, N, A
Ross CL et al. (2016)	0.0015 mT	5 Hz, VT, CE, A
Sarimov et al. (2011)	0.005-0.02 mT	50 Hz, VT, G, A
Scherlag et al. (2004)	0.000000287 mT	0.043 Hz, VO, P, A
Sieroń et al. (2021)	4.3 pT	50 Hz, VO, O, C
<u>Sobhanifard</u> et al. (2019)	0.001 mT	50 Hz, VO, G, C
Stevens (2007)	0.005 mT	8-12 Hz, HU, N, A
Tian et al. (2022)	0.000031 mT	SMF (hypomagnetic field), VO, G, N, O, C
Tipping et al. (1999)	0.008 mT	50 Hz, VO, G, A
Villarini et al. (2015)	0.0078 mT	ELF, HU, G, C
Wahab et al. (2007)	0.001 mT	50 Hz, VT, G, A
Xu C et al. (2012)	Near-null (0.00001 mT)	SMF (hypomagnetic field), VO, G, C

Xu C et al. (2021)	Near-null (0.00001 mT)	SMF (hypomagnetic field), VO, G, C
Zendehdel et al. (2019)	0.00085 mT.	ELF, HU, G, C
Zhan et al. (2022)	0.000031 mT	SMF (hypomagnetic field), VO, O, C
Zhang J. et al. (2018)	0.0005 mT	SMF, VT, O, C
Zhang Y et al. (2022)	0.000523 mT	SMF (hypomagnetic field), VO, G, C

References

- Agliassa C, Narayana R, Berteza CM, Rodgers CT, Maffei ME. Reduction of the geomagnetic field delays *Arabidopsis thaliana* flowering time through downregulation of flowering-related genes. *Bioelectromagnetics*. 39(5):361-374, 2018.
- Albaqami M, Hammad M, Pooam M, Procopio M, Sameti M, Ritz T, Ahmad M, Martino CF.. *Arabidopsis* cryptochrome is responsive to Radiofrequency (RF) electromagnetic fields. *Sci Rep* 10(1):11260, 2020.
- Baek S, Choi H, Park H, Cho B, Kim S, Kim J. Effects of a hypomagnetic field on DNA methylation during the differentiation of embryonic stem cells. *Sci Rep*. 9(1):1333, 2019.
- Baraúna RA, Santos AV, Graças DA, Santos DM, Ghilardi R Júnior, Pimenta AM, Carepo MS, Schneider MP, Silva A. Exposure to an extremely low-frequency electromagnetic field only slightly modifies the proteome of *Chromobacterium violaceum* ATCC 12472. *Genet Mol Biol*. 38(2):227-230, 2015.
- Bediz CS, Baltaci AK, Mogulkoc R, Oztekin E. Zinc supplementation ameliorates electromagnetic field-induced lipid peroxidation in the rat brain. *Tohoku J Exp Med*. 208(2):133-140, 2006.
- Bobkova, N.V., V.V. Novikov, N.I. Medvinskaya, I.Y. Aleksandrova, I.V. Nesterova, and E.E. Fesenko. Effect of weak combined static and extremely low-frequency alternating magnetic fields on spatial memory and brain amyloid- β in two animal models of Alzheimer's disease. *Electromagn. Biol. Med*. 37:127-137, 2018.
- Budziosz J, Stanek A, Sieroń A, Witkoś J, Cholewka A, Sieroń K. Effects of Low-Frequency Electromagnetic Field on Oxidative Stress in Selected Structures of the Central Nervous System. *Oxid Med Cell Longev*. 2018:1427412, 2018.
- de Kleijn S, G. Ferwerda, M. Wiese, J. Trentelman, J. Cuppen, T Kozicz, L. de Jager, PWM Hermans, BML Verburg-van Kemenade. A short-term extremely low frequency electromagnetic field exposure increases circulating leukocyte numbers and affects HPA-axis signaling in mice *Bioelectromagnetics* 37(7):433-443, 2016.
- De Roos AJ, Teschke K, Savitz DA, Poole C, Grufferman S, Pollock BH, Olshan AF. Parental occupational exposures to electromagnetic fields and radiation and the incidence of neuroblastoma in offspring. *Epidemiology* 12(5):508-517, 2001.
- Ding, H-M., X. Wang, W-C. Mo, L-L. Qin, S. Wong, J-P. Fu, Y. Tan, Y. Liu, R-Q. He, and Q. Hua. Hypomagnetic fields cause anxiety in adult male mice. *Bioelectromagnetics*. 40:27-32, 2019.

Dominici L, Villarini M, Fatigoni C, Monarca S, Moretti M. Genotoxic hazard evaluation in welders occupationally exposed to extremely low-frequency magnetic fields (ELF-MF). *Int J Hyg Environ Health.* 215(1):68-75, 2011.

Fournier, N.M., Q.H. Mach, P.D. Whissell, and M.A. Persinger. Neurodevelopmental anomalies of the hippocampus in rats exposed to weak intensity complex magnetic fields throughout gestation. *Int. J. Dev. Neurosci.* 30:427-433, 2012.

Gholamian-Hamadan M, Behzad M, Molaei S, Ghane ZZ, Talebi-Ghane E, Zamani A. Effect of 50-Hz magnetic fields on the expression of activation-induced deaminase, B-cell lymphoma 6 and serum levels of interleukin-6, interleukin-21. *Int J Radiat Biol* 99(9):1456-1462, 2023.

Gurhan H, Bruzon R, Kandala S, Greenebaum B, Barnes F. Effects Induced by a Weak Static Magnetic Field of Different Intensities on HT-1080 Fibrosarcoma Cells. *Bioelectromagnetics* 42:212-223, 2021.

Hashish AH, El-Missiry MA, Abdelkader HI, Abou-Saleh RH. Assessment of biological changes of continuous whole body exposure to static magnetic field and extremely low frequency electromagnetic fields in mice. *Ecotoxicol Environ Saf.* 71(3):895-902. 2008.

Heredia-Rojas JA, Rodríguez de la Fuente AO, Alcocer González JM, Rodríguez-Flores LE, Rodríguez-Padilla C, Santoyo-Stephano MA, Castañeda-Garza E, Taméz-Guerra RS. Effect of 60 Hz magnetic fields on the activation of hsp70 promoter in cultured INER-37 and RMA E7 cells. *In Vitro Cell Dev Biol Anim.* 46(9):758-63, 2010.

Jadidi, M., M.S. Khatami, F. Mohammad-Pour, A. Bandavi, A. Rashidy-Pour, A.A. Vafaei, A.A. Taherian, and H. Miladi-Gorji. Effects of extremely low frequency magnetic field on the development of tolerance to the analgesic effect of morphine in rats. *Bioelectromagnetics.* 38:618-625, 2017.

Juutilainen J, LääraE, Saali K. Relationship between field strength and abnormal development in chick embryos exposed to 50 Hz magnetic fields. *Int J Radiat Biol Relat Stud Phys Chem Med* 52(5):787-93, 1987.

Karimi SA, Salehi I, Shykhi T, Zare S, Komaki A. Effects of exposure to extremely low-frequency electromagnetic fields on spatial and passive avoidance learning and memory, anxiety-like behavior and oxidative stress in male rats. *Behav Brain Res.* 359:630-638, 2019.

Kazemi M, Sahraei H, Aliyari H, Tekieh E, Saberi M, Tavacoli H, Meftahi GH, Ghanaati H, Salehi M, Hajnasrollah M. Effects of the Extremely Low Frequency Electromagnetic Fields on NMDA-Receptor Gene Expression and Visual Working Memory in Male Rhesus Macaques. *Basic Clin Neurosci.* 9(3):167-176, 2018.

Kazemi M, H. Aliyari, S. Golabi, E. Tekieh, H. Tavakoli, M. Saberi, H. Sahraei.

Improvement of Cognitive Indicators in Male Monkeys Exposed to Extremely Low-Frequency Electromagnetic Fields. *Arch Razi Inst* 77(1):503-511, 2022.

Lai H, Singh NP. Magnetic-field-induced DNA strand breaks in brain cells of the rat. *Environ Health Perspect.* 112(6):687-694, 2004.

Li, D.K., J.R. Ferber, R. Odouli, and C.P. Jr. Quesenberry. A prospective study of in-utero exposure to magnetic fields and the risk of childhood obesity. *Sci. Rep.* 2:540, 2012.

Li Y, Héroux P. Extra-low-frequency magnetic fields alter cancer cells through metabolic restriction. *Electromagn Biol Med* 33(4):264-275, 2014.

Liboff AR, Williams T Jr, Strong DM, Wistar R Jr. Time-varying magnetic fields: effect on DNA synthesis. *Science* 223(4638):818-820, 1984.

Lin H, M Head, M Blank, L Han, M Jin, R Goodman. Myc-mediated transactivation of HSP70 expression following exposure to magnetic fields. *J Cell Biochem* 69(2):181-188, 1998.

Lupi, D., Tremolada, P., Colombo, M., Giacchini, R., Benocci, R., Parenti, P., Parolini, M., Zambon, G., Vighi, M. Effects of Pesticides and Electromagnetic Fields on Honeybees: A Field Study Using Biomarkers. *Int J Environ Res* 14: 107-122, 2020.

Mahaki H, Jabarivasal N, Sardarian K, Zamani A. The effects of extremely low-frequency electromagnetic fields on c-Maf, STAT6, and ROR α expressions in spleen and thymus of rat. *Electromagn Biol Med.* 38(2):177-183, 2019.

Mahdavinejad L, Alahgholi-Hajibehzad M, Eftekharian MM, Zaerighane Z, Salehi I, Hajilooi M, Mahaki H, Zamani A. Extremely Low Frequency Electromagnetic Fields Decrease Serum Levels of Interleukin-17, Transforming Growth Factor- β and Downregulate Foxp3 Expression in the Spleen. *J Interferon Cytokine Res* 38(10):457-462, 2018.

Martino CF, Castello PR. Modulation of hydrogen peroxide production in cellular systems by low level magnetic fields. *PLoS One.* 6(8):e22753, 2011.

Monirul Islam M, Gianpiero Vigani G, Massimo E, Maffei ME. The Geomagnetic Field (GMF) Modulates Nutrient Status and Lipid Metabolism during *Arabidopsis thaliana* Plant Development. *Plants (Basel)* 9(12):1729, 2020.

Murugan, N.J., and M.A. Persinger. Comparisons of responses by planarian to micromolar to attomolar dosages of morphine or naloxone and/or weak pulsed magnetic fields: revealing receptor subtype affinities and nonspecific effects. *Int. J. Radiat. Biol.* 90:833-840, 2014.

Nishimura, T., H. Tada, X. Guo, T. Murayama, S. Teramukai, H. Okano, J. Yamada, K. Mohri, and M. Fukushima. A 1- μ T extremely low-frequency electromagnetic field vs. sham control for mild-to-moderate hypertension: a double-blind, randomized study. *Hypertens. Res.* 34:372-377, 2011.

Pilla AA. Electromagnetic fields instantaneously modulate nitric oxide signaling in challenged biological systems. *Biochem Biophys Res Commun.* 426(3):330-333, 2012.

Rao S, Henderson AS. Regulation of c-fos is affected by electromagnetic fields. *J Cell Biochem* 63(3):358-365, 1996.

Regoli F, Gorbi S, Machella N, Tedesco S, Benedetti M, Bocchetti R, Notti A, Fattorini D, Piva F, Principato G. Pro-oxidant effects of extremely low frequency electromagnetic fields in the land snail *Helix aspersa*. *Free Radic Biol Med.* 39(12):1620-1628, 2005.

Ross, M.L., S.A. Koren, and M.A. Persinger. Physiologically patterned weak magnetic fields applied over left frontal lobe increase acceptance of false statements as true. *Electromagn. Biol. Med.* 27:365-371, 2008.

Ross, C.L., T. Teli, and B.S. Harrison. 2016. Effect of electromagnetic field on cyclic adenosine monophosphate (cAMP) in a human mu-opioid receptor cell model. *Electromagn. Biol. Med.* 35:206-213, 2016.

Sarimov R, Alipov ED, Belyaev IY. Fifty hertz magnetic fields individually affect chromatin conformation in human lymphocytes: dependence on amplitude, temperature, and initial chromatin state. *Bioelectromagnetics.* 32(7):570-579, 2011.

Scherlag, B.J., W.S. Yamanashi, Y. Hou, J.L. Jacobson, W.M. Jackman, and R. Lazzara. Magnetism and cardiac arrhythmias. *Cardiol. Rev.* 12:85-96, 2004.

Sieroń K, Knapik K, Onik G, Romuk E, Birkner E, Kwiatek S, Sieroń A. Electromagnetic Fields Modify Redox Balance in the Rat Gastrointestinal Tract. *Front Public Health* 9:710484, 2021.

Sobhanifard M, Eftekharian MM, Solgi G, Nikzad S, Salehi I, KG, Ganji M, Zamani A. Effect of Extremely Low Frequency Electromagnetic Fields on Expression of T-bet and GATA-3 Genes and Serum Interferon- γ and Interleukin-4. *J Interferon Cytokine Res* 39(2):125-131, 2019.

Stevens, P. Affective response to 5 microT ELF magnetic field-induced physiological changes. *Bioelectromagnetics.* 28:109-114, 2007.

Tian L, Y. Luo, A. Zhan, J. Ren, H. Qin, and Y. Pan. Hypomagnetic Field Induces the Production of Reactive Oxygen Species and Cognitive Deficits in Mice Hippocampus. *Int. J. Mol. Sci* 23:3622, 2022.

Tipping DR, K E Chapman, A J Birley, M Anderson. Observations on the effects of low frequency electromagnetic fields on cellular transcription in *Drosophila* larvae reared in field-free conditions. *Bioelectromagnetics* 20(2):129-131, 1999.

Villarini M, Dominici L, Fatigoni C, Levorato S, Vannini S, Monarca S, Moretti M. Primary DNA damage in welders occupationally exposed to extremely-low-frequency magnetic fields (ELF-MF). *Ann Ig.* 27(3):511-519, 2015.

Wahab MA, Podd JV, Rapley BI, Rowland RE. Elevated sister chromatid exchange frequencies in dividing human peripheral blood lymphocytes exposed to 50 Hz magnetic fields. *Bioelectromagnetics.* 28(4):281-288, 2007.

Xu C, Yin X, Lv Y, Wu C, Zhang Y, Song T. A near-null magnetic field affects cryptochrome-related hypocotyl growth and flowering in *Arabidopsis*. *Adv Space Res* 49(5):834-840, 2012.

Xu C, Feng S, Yu Y, Zhang Y, Wei S. Near-Null Magnetic Field Suppresses Fruit Growth in *Arabidopsis*. *Bioelectromagnetics* 42(7):593-602, 2021.

Zendehdel R, Yu IJ, Hajipour-Verdom B, Panjali Z. DNA effects of low level occupational exposure to extremely low frequency electromagnetic fields (50/60 Hz). *Toxicol Ind Health.* 35(6):424-430, 2019.

Zhan A, Luo Y, Qin H, Lin W, Tian L. Hypomagnetic Field Exposure Affecting Gut Microbiota, Reactive Oxygen Species Levels, and Colonic Cell Proliferation in Mice. *Bioelectromagnetics* 43(8):462-475, 2022.

Zhang J, Ding C, Meng X, Shang P. Nitric oxide modulates the responses of osteoclast formation to static magnetic fields. *Electromagn Biol Med.* 37(1):23-34, 2018.

Zhang Y, Zeng L, Wei Y, Zhang M, Pan W, Sword GA, Yang F, Chen F, Wan G. Reliable reference genes for gene expression analyses under the hypomagnetic field in a migratory insect. *Front Physiol* 13:954228, 2022.

Some ELF-magnetic fields measurements in various locations

Abuashi et al (2018)	Residential exposure in City of Ramallah-Palestine	81% exposure <0.0001 mT, highest mean MF = 0.00045 mT
Al-Badi (2012)	Various locations in Oman power system: overhead lines, underground cables, and sub-stations	Highest in grid stations and sub-stations- 0.018 mT; in areas where general public could be exposed to at boundaries of sub-station- 0.016 mT
AL-rajhi (2014)	Close to underground transmission lines in Riyadh	Mean 0.00516 mT (range 0.0001- 0.0197 mT)
Eskelinen et al (2002)	Residential measurements from 27 subjects in Kuopio, Finland	24-h measurement mean level- 0.00077 mT
Ilonen et al (2008)	Apartments close to indoor transformer stations in 30 buildings in three cities in Finland	24-h measurement means: 0.00062 mT in apartment above a transformer station; 0.00021 mT in one first floor reference apartment, 0.00011 mT in one reference apartment on upper floors.
Kiouvrekis et al. (2021)	243 schools in Greece, 1Hz-400KHz	Mean values from all he sampled schools was 0.00021 mT
Lindgren et al. (2001)	Measurements in Goteborg, Sweden	50% of investigated streets- 0.0002 mT and above, > 0.001 mT in areas close to distribution pillars. Power substations, shoplifting alarms, and other electrical devices.
Park et al. (2023)	Semiconductor factory in Republic of Korea	Workers can be exposed to ELF MF of 0.0025 - 0.0036 mT
Röösli et al. (2011)	39 apartments in 18 buildings with transformer statins in Zurich, Switzerland	0.00059 mT in apartments adjacent to transformer room, 0.00014 mT in apartments partly adjacent to a transformer room, 0.0001 mT in other apartments.
Yitzhak et al. (2012)	Apartment building in Israel with indoor transformer station.	0.00033 mT in apartment above transformer.

Abuasbi, F, A. Lahham, and I.R. Abdel-Raziq . 2018. Residential exposure to extremely low frequency electric and magnetic fields in the city of Ramallah-Palestine. *Radiat. Prot. Dosimetry* 179:49-57.

Al-Badi, A.H. 2012. Measurement and analysis of extremely low frequency electromagnetic field exposure in Oman. *J Electromagn Anal Appl.* 4, 333-339.

AL-rajhi, M.A. 2014. Assessment of ambient magnetic field exposure emitted from underground transmission lines in some areas of Riyadh. *Internat. J. Phys.* 2:76-77.

Eskelinen, T., J. Keinänen, H. Salonen, and J. Juutilainen. 2002. Use of spot measurements for assessing residential ELF magnetic field exposure: a validity study. *Bioelectromagnetics.* 23:173-176.

Ilonen, K., A. Markkanen, G. Mezei, and J. Juutilainen. 2008. Indoor transformer stations as predictors of residential ELF magnetic field exposure. *Bioelectromagnetics.* 29:213-218.

Kiouvrekis, Y., A. Alexias, V. Softa, M. Alkhorayef, A. Sulieman, C. Tyrakis, and C. Kappas. 2021. Extremely low frequency electromagnetic exposure assessment in schools: a statistical analysis of urban and semi-urban areas. *Radiat. Prot. Dosimetry.* 194:76-81.

Lindgren, M., M. Gustavsson, Y. Hamnerius, and S. Galt. 2001. ELF magnetic fields in a city environment. *Bioelectromagnetics.* 22:87-90.

Park J-H, Choi S, Koh D-H, Park J, Kim W, Park D-K. 2023. Characteristics of Peak Exposure of Semiconductor Workers to Extremely Low-Frequency Magnetic Fields. *Ann Work Expo Health* 67(4):508-517, 2023.

Röösli, M., D. Jenni, L. Kheifets, and G. Mezei. 2011. Extremely low frequency magnetic field measurements in buildings with transformer stations in Switzerland. *Sci. Total Environ.* 409:3364-3369.

Yitzhak, N-M., R. Hareuveny, S. Kandel, and R. Ruppin. 2012. Time dependence of 50 Hz magnetic fields in apartment buildings with indoor transformer stations. *Radiat. Prot. Dosimetry* 149:191-195.